

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1995	(arp or (address near resolution near protocol)) with (router or gateway or gatekeeper)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/22 16:30
L2	241	(arp or (address near resolution near protocol)) with (router or gateway or gatekeeper) with (buffer or queue or stor\$4)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/22 16:31
L3	25299146	(@rlad<"20030801" or @ad<"20030801" or @ptad<"20030801")	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/22 16:31
L4	147	2 3	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/22 16:33
L5	3220	(arp or (address near resolution near protocol)) near8 (request\$4 or inquir\$4 or quer\$4)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/22 16:36
L6	2626	(arp or (address near resolution near protocol)) near8 (reply or respon\$4)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/22 16:36
L7	64	4 5 6	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/22 16:36
L8	861	(arp or (address near resolution near protocol)) near8 (request\$4 or inquir\$4 or quer\$4) near9 (router or gateway or gatekeeper)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/22 16:37
L9	54	7 8	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/22 16:37

L10	175	(arp or (address near resolution near protocol)) near8 (request\$4 or inquir\$4 or quer\$4) near9 (router or gateway or gatekeeper) with (broadcast\$4 or multicast\$4)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/22 16:38
L11	282705	(buffer\$4 or queue\$4) near9 (size or level or condition or fill \$2level or load\$4 or overload \$4 or threshold or limit or pre \$1defin\$4 or pre\$1determin \$4)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/22 16:39
L12	10	10 11	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/22 16:39
L13	102	(determin\$4 or detect\$4 or identif\$4 or analy\$5) near9 (load or size or condition) near9 (router or gateway or gatekeeper) near9 (buffer or queue\$4)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/22 16:52
L14	0	13 8	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/22 16:52
L15	975	(arp or (address near resolution near protocol)) with (request\$4 or inquir\$4 or quer \$4) with (router or gateway or gatekeeper)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/22 16:52
L16	18548	(determin\$4 or detect\$4 or identif\$4 or analy\$5) near9 (load or size or condition) near10 (buffer or queue\$4)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/22 16:53
L17	23	15 16	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/22 16:53
L18	89	(arp or (address near resolution near protocol)) with (request\$4 or inquir\$4 or quer \$4) with (router or gateway or gatekeeper) with (load or condition or level or state or status of overload\$4 or size or pre\$1determin\$4 or pre\$1defin \$4 or threshold)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/22 16:58

L19	39	3 18	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/22 16:58
L20	3950	(load\$4 near5 (shar\$4 or balanc\$4)) with (router or gateway or gatekeeper)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/22 17:17
L21	63	(arp or (address near resolution near protocol)) with (request\$4 or inquir\$4 or quer \$4) with (router or gateway or gatekeeper) with (load\$4 or condition or fill\$4 or level or status or state)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/22 17:18
L23	89	(arp or (address near resolution near protocol)) with (request\$4 or inquir\$4 or quer \$4) with (router or gateway or gatekeeper) with (load\$4 or condition or fill\$4 or level or status or state or fault\$4 or fail \$4 or overload\$4 or congest \$4)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/22 17:18
L24	54	3 23	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/22 17:19
L25	86	(arp or (address near resolution near protocol)) with (request\$4 or inquir\$4 or quer \$4) with (router or gateway or gatekeeper) with (load\$4 or condition or fill\$4 or level or status or state or congest\$4 or fault\$4 or fail\$4)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/22 17:34
L26	51	3 25	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/22 17:35
L27	10	26 20	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/22 17:36
L28	975	(arp or (address near resolution near protocol)) with (request\$4 or inquir\$4 or quer \$4) with (router or gateway)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/22 17:40

L29	66	(arp or (address near resolution near protocol)) with (repl\$4 or respon\$4) with (load \$2base\$4 or load or round \$1robin\$3 or robin)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/22 17:41
L30	16	28 29	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/22 17:41
L31	13033	(current near2 load\$4) near9 (router or gateway or switch)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/22 17:58
L33	72	(arp or (address near resolution near protocol)) near8 (request\$4 or inquir\$4 or quer\$4) with load\$4	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/22 17:59
L34	2	31 33	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/22 17:59
L36	47019	(determin\$4 or detect\$4 or identif\$5) near8 (load\$4 or condition) with (router or switch or gateway)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/22 20:32
L37	114	(arp or (address near resolution near protocol)) near8 (request\$4 or inquir\$4 or quer\$4) with (load\$4 or condition)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/22 20:32
L38	13	36 37	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/22 20:33
L39	78	(router or switch or gateway) near9 (generat\$4 or issu\$4 or broadcast\$4 or multi\$1cast or transmit\$4 or send\$4 or construct\$4) with (arp) with (load\$4 or condition or status or state or level or congest\$4)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/22 20:43
L40	53	39 3	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/22 20:48

L41	78	(router or switch or gateway) near9 (generat\$4 or issu\$4 or broadcast\$4 or multi\$1cast or transmit\$4 or send\$4 or construct\$4) with (arp) with (load\$4 or condition or status or state or level or congest\$4 or round\$1robin or (round adj robin))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/22 21:04
L42	3	(arp or (address near resolution near protocol)) with (request\$4 or inquir\$4 or quer\$4) with (router or gateway) with (round-robin or (round adj robin))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/22 21:05
L43	2	(US-6295276-\$ or US-5963540-\$).did.	USPAT	AND	ON	2010/05/22 21:12
L44	2	43 arp	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/22 21:12
L45	2	43 arp and fail\$4	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/22 21:43
S4	3950	(load\$4 near5 (shar\$4 or balanc\$4)) with (router or gateway or gatekeeper)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/20 19:43
S5	1995	(arp or (address near resolution near protocol)) with (router or gateway or gatekeeper)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/20 19:44
S6	134	S4 S5	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/20 19:44
S7	25299146	(@rlad<"20030801" or @ad<"20030801" or @ptad<"20030801")	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/20 19:44
S8	93	S6 S7	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/20 19:45

S9	174	(arp or (address near resolution near protocol)) with (threshol or load\$4 or status or state or level) near5 (node or queue or buffer\$4 or information or storage or memory or fill\$4)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/20 19:49
S10	1	S8 S9	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/20 19:49
S11	1	(US-6295276-\$).did.	USPAT	AND	ON	2010/05/21 13:57
S12	1	S11 (arp near3 request\$4)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/21 13:57
S13	1	S11 (arp near9 request\$4)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/21 14:12
S15	42	(arp or (address near resolution near protocol)) near8 (request\$4 or inquir\$4 or quer\$4) with (router or gateway or gatekeeper) with (load\$4 or threshold or fill \$1level or condition or predetermin\$4 or predefin\$4)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/22 12:34
S16	25299146	((@rlad<"20030801" or @ad<"20030801" or @ptad<"20030801"))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/22 12:35
S17	15	S15 S16	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/22 12:35
S18	3950	(load\$4 near5 (shar\$4 or balanc\$4)) with (router or gateway or gatekeeper)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/22 12:38
S19	942	(arp or (address near resolution near protocol)) near8 (request\$4 or inquir\$4 or quer\$4) with (router or gateway or gatekeeper)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/22 12:38

S20	71	S18 S19	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/22 12:38
S21	44	S16 S20	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/22 12:38

EAST Search History (Interference)

< This search history is empty >

5/ 22/ 2010 10:17:03 PM